

ULTRA



1/3



3063U

SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE





Interface for the management of 8 buttons, for use with single-plate outdoor entrance panels. Compatible with all systems. Works in conjunction with audio or audio/video modules for the Ultra series entrance panel. Complete with cable with connectors for connection to the audio or audio/video module, or other button interfaces; length 475mm. Dimensions (L x H x D): 74 x 42 x 18 mm.

ULTRA





3063U

SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE

| | GENERAL DATA |
|-----------------------------|---------------|
| Height (mm) | 42 |
| Width (mm) | 74 |
| Depth (mm) | 18 |
| Type of finishing materials | Plastic |
| Product color | Black RAL9005 |
| Wall-mounted | Yes |

| COMPATIBLE SYSTEMS | |
|-----------------------------------------------------------|-----|
| Audio/video Simplebus 2 with power supply art. 4888C | Yes |
| Audio/video Simplebus 2 with power supply art. 1210/1210A | Yes |
| Audio Simplebus 2 with power supply art. 1210/1210A | Yes |
| Audio Simplebus 1 | Yes |
| ViP | Yes |

| ELECTRICAL CHARACTERISTICS |
|----------------------------|
|----------------------------|

Type of power supply

Power supply from video door entry bus

| HARDWARE FEATURES | |
|-----------------------------|-----------------------------|
| Call type | Push-buttons |
| Type of buttons | Mechanical |
| Number of push-buttons (n°) | 8 |
| Clamps | C P1 P2 P3 P4 P5 P6 P7 P8 C |

PROGRAMMING MODE

ViP Manager software

Yes

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°C)

-25 ÷ 55

The technical specifications are subject to change without prior notice.



ULTRA



3063U

SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE

| ENVIRONMENTAL AND COMPLIANCE FEATURES | |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Operating humidity (RH max) (%) | 25 ÷ 95 |
| Environmental class | IV |
| CE certifications | RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011) |